(19) World Intellectual Property Organization International Bureau



- | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1881 | 1

(43) International Publication Date 3 July 2003 (03.07.2003)

PCT

(10) International Publication Number WO 03/053156 A1

(51) International Patent Classification⁷: A23G 3/30

(21) International Application Number: PCT/EP02/12423

(22) International Filing Date:

7 November 2002 (07.11.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data: MI2001A002752

21 December 2001 (21.12.2001) IT

- (71) Applicant (for all designated States except US): PER-FETTI VAN MELLE S.P.A. [IT/IT]; Via XXV Λprile, 7/9, I-20020 Lainate (IT).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): COLLE, Roberto [IT/IT]; Via XXV Aprile, 7/9, I-20020 Lainate (IT). SOZZI, Giuseppe [IT/IT]; Via XXV Aprile 7/9, I-20020 Lainate (IT). SALMOIRAGHI, Guglielmo [IT/IT]; Via XXV Aprile, 7/9, I-20020 Lainate (IT). BARRICA, Andrea [IT/IT]; Via XXV Aprile, 7/9, I-20020 Lainate (IT).

- (74) Agents: MINOJA, Fabrizio et al.; Bianchetti Bracco Minoja S.r.l., Via Rossini, 8, I-20122 Milano (IT).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

03/053156 A1

(54) Title: CHEWING GUMS AND PROCESS FOR THE MANUFACTURE THEREOF

(57) Abstract: Disclosed are small pellets or "mini-dragées" with a core constituted by a gum base which is flavored and possibly sweetened with high-intensity sweeteners, and formulated without the sugars or polyols conventionally used in the manufacture of traditional chewing gums.

CHEWING GUMS AND PROCESS FOR THE MANUFACTURE THEREOF

The present invention relates to small pellets or "mini-dragées" with a core consisting of a gum base which is flavored and possibly sweetened with high-intensity sweeteners, and formulated without the sugars or polyols conventionally used in the manufacture of traditional chewing gums.

Gum base, one of the main, most complex ingredients in chewing gum, can be made by mixing ingredients belonging to the following classes: vegetable or synthetic gums, resins, waxes, emulsifiers, processing aids, fillers and antioxidants.

The gums supply the cohesive structure of the gum base; this structure may vary, depending on the specific gum or mixture of gums used, which may be synthetic or vegetable gums. The synthetic gums typically used are polyisobutylene, isobutylene-isoprene copolymer, and others. The vegetable gums traditionally used to make the gum base are chicle, jelutong, etc.

Various types of resins may be used to modify the hardness of the gum base, as well as having a cohesive effect on it. The main resins used, listed by way of example but not of limitation, are terpene resins, rosin esters and polyvinyl acetate.

Waxes, emulsifiers and processing aids are normally used to modify the texture and plasticity of the gum base. This large class of ingredients includes the following ones, listed by way of example but not of limitation: hydrogenated vegetable oils (such as palm, cotton and soy oils), microcrystalline waxes and refined and synthetic paraffin waxes, beeswax, candelilla and carnauba wax, acetic esters, glycerol monostearates and their acetic esters, glycerol and others.

Fillers also have an important influence on the mechanical and

structural properties of the gum base, as well as being useful as supports or gliding agents. The fillers most often used are calcium carbonate, magnesium carbonate and talc.

In addition to the above-mentioned classes of ingredients, other ingredients may also be added to the gum base, such as antioxidants, designed to preserve it from oxidative effects which could adversely affect its flavor or reduce its durability.

A typical gum base composition is set out below:

5

10

15

20

Ingredient	Example no. 1	Example no. 2
Synthetic gums	21.7%	9.8%
Vegetable gums		
Resins	35.0%	41.7%
Waxes and hydrogenated vegetable oils	21.4%	3.3%
Emulsifiers and processing aids	6.3%	2.9%
Fillers	15.5%	42.2%
Antioxidants	0.1%	0.1%
TOTAL	100.0%	100.0%

Most chewing gums now available are presented in the form of sticks or pellets. Chewing gum pellets comprise a core of gum base mixed with other components (flavorings, polyols and/or sugars, plasticisers, etc.) with a coating consisting of sugar or polyols such as maltitol, xylitol and the like.

The traditional pellets are quite large. Spherical or spheroidal pellets may have a diameter of 10-15 mm, while gum in the form of rectangular tablets may have dimensions of approx. 10 x 20 mm or even more.

The size of chewing gum pellets, which are becoming more popular on the market than sticks, is partly due to technical requirements associated with the formulation of the gum; in order to produce the characteristic of chewability, a polyol matrix must be added to the gum base in the proportion of approximately twice the weight of the gum base. However, for the reasons

stated above, if conventional production methods were applied to the manufacture of small pellets the results would be unacceptable, since the absolute amount of gum base would be too low, and the composition would not be sufficiently chewable.

On the other hand, the gum base alone, without the addition of a polyol matrix, enables small pellets of acceptable chewability to be produced. However, a flavored, sweetened gum base of this kind has plasticity characteristics that make rolling into sticks or pellet cores difficult, if not impossible; moreover, the use of ordinary rolling mills prevents spheroidal products from being made.

5

10

15

20

25

Chewing gum in the shape of small spheroidal pellets would be desirable for various reasons: for example, consumers could modify the amount of gum chewed as required by using a suitable number of small pellets, possibly at different times (e.g. in sequence). In addition, a small spheroidal pellet would be liked better by children, as chewing a mass with a volume exceeding a given threshold can be uncomfortable and unsatisfactory for them.

Italian patent no. 1180176, in the name of Gum Base Co. SpA, relates to a non-cariogenic, low-calorie gum base composition with no sugar matrix, characterized by a specific composition of the various components of the gum base such as polyisobutylene elastomers, vegetable or animal oils, vinyl polymers, resins, natural gums, waxes, and mono- and di-glycerides of fatty acids. This gum base, added with flavorings, high-intensity sweeteners and glycerin, allows the manufacture of chewing gum with good plasticity characteristics and a very high gum base content, despite the absence of a sugar or polyol matrix. The same patent relates to the manufacture of sticks by rolling the gum base composition, but not to the production of pellets.

Flavored gum base compositions are disclosed in US 6264999, which

however always refers to the use of erythritol as bulk sweetener. WO 96/08157 describes a process for the extrusion of gum base which may also contain flavorings.

EP 732055 discloses a continuous process for the preparation of chewing gums without separate preparation of the gum base. The specific examples in this document also involve the use of sugars or polyols.

5

10

15

20

Finally, US 6017565 describes a continuous process similar to that disclosed in EP 732055, and illustrates in detail the manufacture of chewing gums in pellet form. The use of polyols, in particular sorbitol and mannitol, is also described in this case.

The prior art therefore does not contain teachings or suggestions useful for the preparation of small size gum base cores without sugar or polyol matrices, which contain flavorings and high-intensity sweeteners.

It has now been found that small pellets or mini-dragées containing a spheroidal core with a diameter below 10 mm, preferably a diameter below 7 mm, and even more preferably a diameter below or equal to 5 mm, constituted by a flavored and possibly sweetened gum base, can be obtained with a process that comprises:

- a) mixing the gum base components in a mixer at the temperatures normally used;
 - b) cooling the mixture obtained in a) to a temperature of between 60 and 90°C, possibly in a second mixer, and addition of flavorings and high-intensity sweeteners under stirring;
- c) extruding the mass obtained in b) in a heated extruder through small-diameter holes;
 - d) forming the cores by cutting with rotating blades immersed in a water stream at a temperature of between 10 and 20°C;
 - e) separating, drying and talcing or dusting the spheroidal cores

PCT/EP02/12423

obtained in d);

5

10

15

f) possibly, coating the spheroidal cores.

The production method of the present invention not only allows the production of mini-dragées as described above, but also eliminates the usual step of mixing the gum base with the other ingredients (such as sugar or sorbitol), and above all the rolling step.

5

Various types of gum base can be used in accordance with the invention, provided that they possess some essential properties such as not sticking to the teeth and are pleasant to chew as a result of the simple addition of flavorings and possibly high-intensity sweeteners. It has been found that the gum bases which guarantee absence of stickiness and the best chewing characteristics are preferably obtained with formulations included in the following example:

- 8 to 15% of an elastomer selected from the group comprising polyisobutylene and isobutylene-isoprene copolymer
 - 0 to 8% of a natural gum
 - 8 to 20% of resins selected from the group of vegetable and synthetic resin esters
 - 8 to 20% of polyvinyl acetate
- 20 8 to 25% of hydrogenated or partly hydrogenated vegetable or animal oils
 - 3 to 10% of waxes selected from the group comprising vegetable waxes and waxes derived from petroleum or obtained synthetically
- 2 to 10% of emulsifiers and processing aids, more specifically glycerol monostearate, acetylated monoglycerides, lecithins and triacetin
 - 10 to 45% of inert mineral fillers
 - up to 0.1% of antioxidants.

The flavorings used in accordance with the invention can be selected

from a wide range; typical examples include essential oils (peppermint oil, citrus fruit oil, fruit essence, etc.) or synthetic flavorings.

Aspartame, acesulfame K, thaumatin, neo-hesperidin dihydrochalcone, cyclamate, sodium saccharine, alitame, stevioside, glycyrrhizine, neotame, sucralose and the like, possibly in mixtures thereof, can be used as high-intensity sweeteners.

5

10

15

20

25

Acesulfame K and neo-hesperidin DC in particular are preferred for their heat stability.

It has surprisingly been found that the use of neo-hesperidin DC, as high-intensity sweetener in combination with accountable K, in amounts ranging from 10 ppm up to 400 ppm, gives to the coated spheroidal pellet, after dissolution of the coating polyalcohol, a surprisingly long-lasting release of the taste from the residual gum. This is due to the persistence of the sweet taste in the residual gum during chewing, which allows the palate a long-lasting perception of the flavorings as well.

This persistence of the sweet taste (which is unique among the other high-intensity sweeteners) derives from the optimal partition of neo-hesperidin between saliva and base gum polymers, which provides a longer-lasting permanence and therefore a longer-lasting release of neo-hesperidin in the gum base.

If desired, the sweetener and/or flavorings can be encapsulated by known techniques in order to stabilize them.

Colorings or other additives acting as plasticisers, suitable for foodstuffs, such as glycerol, sorbitol syrup and the like, may also be added to the gum base.

One of the specific embodiments of the process for preparation of the pellets in accordance with the invention comprises a first step in which all starting materials constituting an ordinary gum base (elastomers, polymers,

fillers, hydrogenated oils, waxes and everything else needed) are added in a double-Z mixer. Mixing takes place with heating at the temperatures normally used until a homogenous, liquid, but viscous mass is obtained. This step is identical to the process used for an ordinary gum base, and can be performed with any suitable mixer, including a continuous mixer or extruder.

5

10

15

20

25

If continuous extruders are used, the flavoring can be added in the last part of the extruder with no need for the cooling and mixing step described below, and the resulting product can directly feed the spheroidal core formation unit.

If double-Z or non-continuous mixers are used, the mixed mass can be transferred while still hot to a second unheated or water-cooled mixer until it reaches a temperature of approx. 80°C. The flavoring, and possibly high-intensity sweetener, can then be added. It is important to use a mixer that minimizes mixing time with the flavoring to avoid loss of flavoring, such as a screw mixer with plough blades. It is also important not to reduce the temperature excessively, in order to prevent problems during later steps. The ideal temperature of the mass is between 60 and 90°C.

At this step the paste is extracted by a pump and forced into an extruder for formation of the spheroidal cores. Both the pump body and the extruder are steam-heated to prevent seizure of the unit. At the end of the extrusion channels the paste is immediately cut into small portions of the required length by rotating scraper blades. The paste is cut while fully immersed in a cold water stream (10-20°C). The cut portions are shaped by the turbulence of the stream into a spheroidal shape and simultaneously cooled and sent to a separation tank where the spheroidal cores are separated by centrifugation, collected by a conveyor belt, dried and talced, while the water is cooled and recirculated.

As the gum base is hydrophobic, the formation and cooling process

does not cause any significant losses of flavoring or sweetener.

The flavoring could alternatively be mixed with the gum base by omitting the second screw mixer and inserting a static mixer between the feed tank and the extruder.

PCT/EP02/12423

The product obtained at this step is complete, and can be used as is or coated.

A conventional coating process is used.

The very small size of the cores provides an end product in which the coated part has a percentage weight greater than that of a standard product, and weighs 40% more than the total pellet. Coating may be carried out using polyols such as maltitol, isomalt, sorbitol, xylitol and the like, either alone or mixed. Maltitol and isomalt are particularly preferred.

In view of the high percentage of coating and the polyalcohol chosen, the pellet is much crunchier than others on the market.

The example below illustrates the invention in greater detail.

Core composition

5

10

15

Ingredient	Percentage	
Gum base	96%	
Peppermint flavoring	3.8%	
Acesulfame K	0.19%	
Neo-hesperidin DC	0.01%	
Total	100%	

Coating composition

Ingredient	Percentage	
Maltitol	90.25%	
Titanium dioxide	4%	
Peppermint flavoring	1.5%	
Glycerin	1%	
Aspartame	0.2%	
Gum arabic	3%	
Carnauba wax	0.05%	
Total	. 100%	

WO 03/053156 PCT/EP02/12423 9

In this example, the coating constitutes 50% of the end weight of the pellet.

Example of core production process

- 1. Preparation of gum in a double-Z mixer at 115°C.
- 2. Transfer of mass to a screw mixer with plough blades at 90°C.
 - 3. Addition of flavorings and sweeteners, and stirring for 60 min.
 - 4. Extrusion and cutting of extruded mass of flavored gum.
 - 5. Formation of cores with water stream at 10-20°C.
 - 6. Drying and talcing of cores.

10

CLAIMS

1. A spheroidal chewing gum with a diameter below 10 mm, consisting of a flavored and possibly sweetened gum base.

- 5 2. A product as claimed in claim 1, further coated with a polyols or sugar coating layer.
 - 3. A pellet as claimed in claim 2, wherein the polyols are selected from maltitol and isomalt.
- 4. A pellet as claimed in one or more of claims 1-3, wherein the core contains gum base, one or more flavorings, one or more high-intensity sweeteners, and possibly colorings and plasticizers.
 - 5. A pellet as claimed in one or more of claims 1-4, wherein the sweeteners and/or the flavorings are encapsulated.
- 6. A pellet as claimed in claim 4 or 5, wherein the high-intensity sweetener is accountable K and/or neo-hesperidin DC.
 - 7. A pellet as claimed in one or more of claims 1 to 6, wherein the coating layer constitutes at least 40% by weight of the whole pellet.
 - 8. A product as claimed in claim 1, wherein the gum base is selected from those having the following composition:
- 8 to 15% of an elastomer selected from the group comprising polyisobutylene and isobutylene-isoprene copolymer
 - 0 to 8% of a natural gum
 - 8 to 20% of resins selected from the group of vegetable and synthetic resin esters
- 25 8 to 20% of polyvinyl acetate
 - 8 to 25% of hydrogenated or partly hydrogenated vegetable or animal oils

- 3 to 10% of waxes selected from the group comprising vegetable waxes and waxes derived from petroleum or obtained synthetically

PCT/EP02/12423

- 2 to 10% of emulsifiers and processing aids, specifically glycerol monostearate, acetylated monoglycerides, lecithins and triacetin
- 5 10 to 45% of inert mineral fillers
 - up to 0.1% of antioxidants.
 - 9. A product as claimed in claim 1, wherein the gum base is selected from those having the following composition:

	- synthetic gums	12.6%
10	- terpene resins/rosin esters	14.3%
	- polyvinyl acetate	14.1%
	- hydrogenated vegetable oils	10.9%
	- microcrystalline waxes	4.8%
	- glycerol monostearates	4.0%
15	- acetylated monoglycerides	0.8%
	- lecithins	0.4%
	- fillers	38.0%
	- antioxidants	0.1%

- 10. A process for the manufacture of the pellets claimed in claims 1-9, which comprises:
 - a) mixing the gum base components in a mixer at the temperatures normally used;
 - b) cooling the mixture obtained in a) to a temperature of between 60 and 90°C, possibly in a second mixer, and adding flavorings and high-intensity sweeteners under stirring;
 - c) extruding the mass obtained in b) in a heated extruder through small-diameter holes;
 - d) cutting the extruded portions with rotating blades immersed in a

WO 03/053156

- water stream at a temperature of between 10 and 20°C;
- e) separating drying and talcing or dusting the spheroidal cores obtained in d);

PCT/EP02/12423

f) possibly, coating the spheroidal cores.

10

- 5 11. A process for the manufacture of the pellets claimed in claims 1-9, which comprises:
 - a) mixing the gum base components in a mixer at the temperatures normally used;
 - b) cooling the mixture obtained in a) to a temperature of between 60 and 90°C, and injecting flavorings and high-intensity sweeteners upstream of a static mixer;
 - c) extruding the mass obtained in b) in a heated extruder through small-diameter holes;
 - d) cutting the extruded portions with rotating blades immersed in a water stream at a temperature of between 10 and 20°C;
 - e) separating, drying and talcing or dusting the spheroidal cores obtained in d);
 - f) possibly, coating the spheroidal cores.

INTERNATIONAL SEARCH REPORT

Inter al Application No PCT/EP 02/12423

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A23G3/30 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 A23G Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ C. DOCUMENTS CONSIDERED TO BE RELEVANT Category ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X US 5 667 824 A (CORRIVEAU CHRISTINE ET 1,4 AL) 16 September 1997 (1997-09-16) Υ 10,11 column 3, line 54 -column 4, line 16; claims 1,2,6 column 3, line 12 - line 17 column 1, line 33 - line 42 column 1, line 62 - line 64 Υ "Gala underwater pelletizers" 10,11 November 1997 (1997-11), GALA NEWSLETTER, XX, XX, PAGE(S) 1-12 XP002954765 Page 3, figure
page 3, line 1 - last line
page 8, line 1 - last line -/--X Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents: "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docu-ments, such combination being obvious to a person skilled "O" document referring to an oral disclosure, use, exhibition or document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 10 April 2003 16/04/2003

Form PCT/ISA/210 (second sheet) (July 1992)

Fax: (+31-70) 340-3016

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel (+31-70) 340-2040, Tx. 31 651 epo nl,

Authorized officer

Guyon, R

INTERNATIONAL SEARCH REPORT

Inten I Application No
PCT/EP 02/12423

C /Canting	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	101711 02/12423
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 258 187 A (SHIMADA SEINOSUKE) 2 November 1993 (1993-11-02)	1,2
Υ	claims 1,6; examples 3,4	3-6,8,9
Y	WO 93 17573 A (WRIGLEY W M JUN CO) 16 September 1993 (1993-09-16) claims 1-6,17,19-24; examples 79-108	3-6,8,9
X	US 5 318 784 A (REAM RONALD L ET AL) 7 June 1994 (1994-06-07) column 4, line 46 - line 56 column 3, line 36 - line 38; claims 1,4-6,8	1,4-6
X	US 5 733 587 A (CORRIVEAU CHRISTINE ET AL) 31 March 1998 (1998-03-31)	1,4
Υ	the whole document	2,3,5-9
Y	US 4 317 838 A (CHERUKURI SUBRAMAN R ET AL) 2 March 1982 (1982-03-02) the whole document	2,3,5-9
А	EP 0 506 251 A (WRIGLEY W M JUN CO) 30 September 1992 (1992-09-30) the whole document	1-9
Α	WO 01 24640 A (MONEN IV GEORGE W ;PATEL MANSUKH M (US); SHEN CHUNGSEA A (US); PHI) 12 April 2001 (2001-04-12) page 7, line 21 -page 8, line 4; claims 1,10 page 8, line 24 - line 28 page 9, line 2 -page 10, line 2	1-9
Α	EP 0 221 850 A (WARNER LAMBERT CO) 13 May 1987 (1987-05-13) claims; examples	1-9

INTERNATIONAL SEARCH REPORT Information on patent tamily members

Inter al Application No PCT/EP 02/12423

				PCI/EP	02/12423
Patent document cited in search report		Publication date		Patent family member(s)	Publication date
US 5667824	А	16-09-1997	US AU AU CA DE EP WO	5733587 A 694490 B2 1980595 A 2184812 A1 69529516 D1 0753998 A1 9524131 A1	31-03-1998 23-07-1998 25-09-1995 14-09-1995 06-03-2003 22-01-1997 14-09-1995
US 5258187	A	02-11-1993	NONE		
WO 9317573	A	16-09-1993	WUUUSSSTTUUUUUUUUUUUUUUUUUUUUUUUUUUUUUU	9317570 A1 5286500 A 5342631 A 5286501 A 5336509 A 230938 T 152883 T 2292592 A 2775192 A 3426593 A 3786593 A 3787793 A 673666 B2 3788493 A 673163 B2 3788693 A 3915293 A 3915293 A 3915293 A 673353 B2 3915893 A 681328 B2 681328 B2 6813896 A 683805 B2 6817396 A 7028696 A 684435 B2 7029296 A 693044 B2 7052496 A 2130576 A1 2130570 A1 2130570 A1 2130570 A1 2130571 A1 2130574 A1 2130575 A1 2130575 A1 2130576 A1 1075851 A 69232900 D1 69310727 D1 69310727 D1 69310727 T2 69315329 D1 69315329 T2 69319126 D1 69319126 T2	16-09-1993 15-02-1994 30-08-1994 15-02-1994 09-08-1994 15-02-2003 15-05-1997 05-10-1993 05-10-1993 05-10-1993 21-11-1996 05-10-1993 05-10-1993 05-10-1993 05-10-1993 05-10-1993 05-10-1993 05-10-1993 05-10-1993 05-10-1993 10-1993 10-1997 19-12-1996 19-12-1996 19-12-1996 11-12-1997 19-12-1996 11-12-1997 19-12-1996 11-12-1997 19-12-1996 11-12-1997 19-12-1996 11-12-1997 19-12-1996 11-12-1997 19-12-1998 16-09-1993

INTERNATIONAL SEARCH REPORT

information on patent family members

Inte I Application No PCT/EP 02/12423

					02/12425
Patent document cited in search repo		Publication date		Patent family member(s)	Publication date
WO 9317573	Α		DE DE	69330428 T2 69331413 D1	08-11-2001 07-02-2002
US 5318784	A	07-06-1994	AU AU CA DE DE EP MX	667126 B2 4848493 A 2143934 A1 69322399 D1 69322399 T2 0659051 A1 9303655 A1	07-03-1996 29-03-1994 17-03-1994 14-01-1999 29-04-1999 28-06-1995 31-05-1994
US 5733587	A	31-03-1998	US AU AU CA DE EP WO	9405161 A1 5667824 A 694490 B2 1980595 A 2184812 A1 69529516 D1 0753998 A1 9524131 A1	17-03-1994
US 4317838	A	02-03-1982	AU AU BE DE FR GB ZA	534011 B2 6016680 A 884317 A1 3025646 A1 2486364 A1 2079129 A ,B 8005473 A	22-12-1983 14-01-1982 15-01-1981 28-01-1982 15-01-1982 20-01-1982 30-09-1981
EP 0506251	A	30-09-1992	US AU AU CA EP FI	5135761 A 640601 B2 1316292 A 2063470 A1 0506251 A1 921367 A	04-08-1992 26-08-1993 01-10-1992 29-09-1992 30-09-1992 29-09-1992
WO 0124640	Α	12-04-2001	AU WO	7995700 A 0124640 A2	10-05-2001 12-04-2001
EP 0221850	A	13-05-1987	AU AU DE EP GR JP PT ZA	593589 B2 6462186 A 3672451 D1 0221850 A2 3000825 T3 62179349 A 83652 A ,B 8607327 A	15-02-1990 07-05-1987 09-08-1990 13-05-1987 15-11-1991 06-08-1987 01-11-1986 27-05-1987